



# **EdiLEGNA 2.0**

**ACCIAIO AL CARBONIO**  
**CARBON STEEL**



# EdiLEGNA 2.0



## SISTEMA MONOPARETE EdiLEGNA 2,0 mm

Il sistema **monoparete EdiLEGNA 2,0 mm** è composto da elementi componibili rigidi, realizzati in acciaio al carbonio verniciato nero opaco di spessore 2 mm rastremato per garantire, insieme alla tenuta perfetta nell'evacuazione dei fumi, alta qualità estetica. Gli elementi sono conformi agli standard previsti dalla marcatura CE secondo la normativa EN 1856-2 e hanno innesto con bicchiere maschio rastremato. Ideali con generatori funzionanti in depressione con combustibili solidi e temperature molto elevate (fino a 600 °C).

### Riferimento normativo e designazione

Marcatura prodotto secondo normativa europea EN 1856-2.

T600 N1 D Vm L01200 Gxxx NM (xxx = 3 volte il Ø)

T600 N1 D Vm L01200 G800 M Ø 200

### Utilizzo

Condotti, canali da fumo, camini metallici, asserviti in particolare a generatori di calore di tipo stufe a legna e caminetti.

### Applicazione

Installazione interna.

### Diametri disponibili - mm

120 - 130 - 140 - 150 - 180 - 200

## SINGLE WALL EdilWOOD 2.0 mm SYSTEM

*Single wall EdilWOOD 2.0 mm system is composed by modular rigid elements, made of carbon steel matte black painted, 2 mm thickness tapered to ensure a perfect seal in the discharge of smoke and at the same time high aesthetic quality. The elements are compliant to the standards set out by the European CE mark, EN 1856-2 and have tapered male joint. Ideal for generators operating in depression with solid fuels and very high temperatures (up to 600 °C).*

### Normative references and designation

Product marking according to the European standard EN 1856-2.

T600 N1 D Vm L01200 Gxxx NM (xxx = Ø X 3)

T600 N1 D Vm L01200 G800 M Ø 200

### Utilizations

*Ducts, flue pipes, metal chimneys, particularly subservient to wood stoves and fireplaces.*

### Application

Internal installation.

### Available diameters - mm

120 - 130 - 140 - 150 - 180 - 200


# MONOPARETE PER LEGNA - SINGLE WALL FOR WOOD

## EIKFETA1S...



Elemento lineare da 1 m.

Pipe 1 m.




Ø	COD.	H
120	EIKFETA1S120	1000
130	EIKFETA1S130	1000
140	EIKFETA1S140	1000
150	EIKFETA1S150	1000
180	EIKFETA1S180	1000
200	EIKFETA1S200	1000

## EIKFETA75S...



Elemento lineare da 0,75 m.

Pipe 0.75 m.




Ø	COD.	H
120	EIKFETA75S120	750
130	EIKFETA75S130	750
140	EIKFETA75S140	750
150	EIKFETA75S150	750
180	EIKFETA75S180	750
200	EIKFETA75S200	750

## EIKFETA5S...



Elemento lineare da 0,50 m.

Pipe 0.50 m.




Ø	COD.	H
120	EIKFETA5S120	500
130	EIKFETA5S130	500
140	EIKFETA5S140	500
150	EIKFETA5S150	500
180	EIKFETA5S180	500
200	EIKFETA5S200	500

## EIKFETA25S...



Elemento lineare da 0,25 m.

*Pipe 0.25 m.*




Ø	COD.	H
120	EIKFETA25S120	250
130	EIKFETA25S130	250
140	EIKFETA25S140	250
150	EIKFETA25S150	250
180	EIKFETA25S180	250
200	EIKFETA25S200	250

## EIKFETA1SCS...



Elemento lineare da 1 m con saracinesca.

*Pipe 1 m with draughter stabilizer.*




Ø	COD.	H
120	EIKFETA1SCS120	1000
130	EIKFETA1SCS130	1000
140	EIKFETA1SCS140	1000
150	EIKFETA1SCS150	1000
180	EIKFETA1SCS180	1000
* 200	EIKFETA1SCS200	1000

## EIKFETA25SCS...



Elemento lineare da 0,25 m con saracinesca.

*Pipe 0.30 m with draughter stabilizer.*



Ø	COD.	H
120	EIKFETA25SCS120	250
130	EIKFETA25SCS130	250
140	EIKFETA25SCS140	250
150	EIKFETA25SCS150	250
180	EIKFETA25SCS180	250
200	EIKFETA25SCS200	250


# MONOPARETE PER LEGNA - SINGLE WALL FOR WOOD

## EIKFEEPS4S...



Elemento telescopico completo di fascetta reggitubo.

*Adjustable pipe with locking band.*




Ø	COD.	A	H	H u
120	EIKFEEPS4S120	30	325	275
130	EIKFEEPS4S130	30	325	275
140	EIKFEEPS4S140	30	325	275
150	EIKFEEPS4S150	30	325	275
180	EIKFEEPS4S180	30	325	275
* 200	EIKFEEPS4S200	30	325	275

## EIKFEGA90S...



Curva a 90°.

*Elbow 90°.*




Ø	COD.	A	H
120	EIKFEGA90S120	127	177
130	EIKFEGA90S130	131	181
140	EIKFEGA90S140	137	187
150	EIKFEGA90S150	141	191
180	EIKFEGA90S180	156	208
200	EIKFEGA90S200	216	216

## EIKFEGAGIR...



Curva girevole con ispezione.

*Adjustable elbow with inspection door.*



Ø	COD.	A	H
120	EIKFEGAGIR120	127	177
130	EIKFEGAGIR130	131	181
140	EIKFEGAGIR140	137	187
150	EIKFEGAGIR150	141	191
180	EIKFEGAGIR180	156	208
* 200	EIKFEGAGIR200	166	216

Finitura grigia a richiesta  
*Gray finish on request*


\* A richiesta  
*On request*

## EIKFEGA90SI...



Curva a 90° con ispezione.

*Elbow 90° with inspection door.*




Ø	COD.	A	H
120	EIKFEGA90SI120	127	177
130	EIKFEGA90SI130	131	181
140	EIKFEGA90SI140	137	187
150	EIKFEGA90SI150	142	191
180	EIKFEGA90SI180	156	206
200	EIKFEGA90SI200	200	216

## EIKFEGA45S...



Curva a 45°.

*Elbow 45°.*




Ø	COD.	A	H
120	EIKFEGA45S120	74	140
130	EIKFEGA45S130	75	145
140	EIKFEGA45S140	77	151
150	EIKFEGA45S150	78	154
180	EIKFEGA45S180	83	165
200	EIKFEGA45S200	85	173

## EIKFEGA45SI...



Curva a 45° con ispezione.

*Elbow 45° with inspection door.*



Ø	COD.	H
120	EIKFEGA45SI120	237
130	EIKFEGA45SI130	338
140	EIKFEGA45SI140	239
150	EIKFEGA45SI150	246
180	EIKFEGA45SI180	240
200	EIKFEGA45SI200	242


# MONOPARETE PER LEGNA - SINGLE WALL FOR WOOD

## EIKFETTCMFF...



Raccordo a "T" 90° con tappo cieco e manicotto MM.

*Tee 90° with tee cap and MM adaptor.*




Ø	COD.	A	H
120	EIKFETTCMFF12	150	270
130	EIKFETTCMFF13	150	280
140	EIKFETTCMFF14	155	290
150	EIKFETTCMFF15	160	300
180	EIKFETTCMFF18	180	330
200	EIKFETTCMFF20	185	350

## EIKFEFFA...



Manicotto femmina - femmina.

*Double female adaptor.*




Ø	COD.	H
120	EIKFEFFA120	150
130	EIKFEFFA130	150
140	EIKFEFFA140	150
150	EIKFEFFA150	150
180	EIKFEFFA180	150
200	EIKFEFFA200	150

## EIKFEMMA...



Manicotto maschio - maschio.

*Double male adaptor.*




Ø	COD.	H
120	EIKFEMMA120	150
130	EIKFEMMA130	150
140	EIKFEMMA140	150
150	EIKFEMMA150	150
180	EIKFEMMA180	150
200	EIKFEMMA200	150

## EIKFEGRAD...



Rosone copriforo con bombatura.

*Ceiling hole cover with camber.*




Øi	Øe	COD.
120	220	EIKFEGRAD120
130	230	EIKFEGRAD130
140	240	EIKFEGRAD140
150	250	EIKFEGRAD150
180	280	EIKFEGRAD180
200	300	EIKFEGRAD200

## EIKFEROS45...



Rosone copriforo ellittico per innesto a 45°.

*Ceiling elliptic hole cover for 45° insertion.*




Øi	Øe	COD.
120	250	EIKFEROS45120
130	250	EIKFEROS45130
140	250	EIKFEROS45140
150	250	EIKFEROS45150
180	300	EIKFEROS45180
200	330	EIKFEROS45200

## EIKFEROS3...



Rosone copriforo liscio con tre fori.

*Ceiling hole cover smooth with three holes.*



Øi	Øe	COD.
120	250	EIKFEROS3120
130	250	EIKFEROS3130
140	250	EIKFEROS3140
150	250	EIKFEROS3150
180	250	EIKFEROS3180
200	250	EIKFEROS3200




# MONOPARETE PER LEGNA - SINGLE WALL FOR WOOD

## EIKFERST...



Raccordo a soffitto telescopico.

*Adjustable adaptor for ceiling.*




Ø	COD.	A	H
120	EIKFERST120	20	210
130	EIKFERST130	20	210
140	EIKFERST140	20	210
150	EIKFERST150	20	210
180	EIKFERST180	20	210
200	EIKFERST200	20	210

## EIKFEROS...



Raccordo a parete compreso di rosone.

*Wall adaptor with hole cover.*




Ø	COD.	A	H
120	EIKFEROS120	220	125
130	EIKFEROS130	230	125
140	EIKFEROS140	240	125
150	EIKFEROS150	250	125
180	EIKFEROS180	280	125
200	EIKFEROS200	300	125

## EIKFECOLSS...



Collare a muro.

*Wall bracket.*



Ø	COD.
120	EIKFECOLSS120
130	EIKFECOLSS130
140	EIKFECOLSS140
150	EIKFECOLSS150
180	EIKFECOLSS180
200	EIKFECOLSS200

Finitura grigia a richiesta  
*Gray finish on request*




# MONOPARETE PER LEGNA - SINGLE WALL FOR WOOD

## EIKFEPEDANA1



Pedana 1000 / 900 mm mezza tonda.

*Hal round 1000 / 900 mm protection floor.*




COD.	A	H1	H2
EIKFEPEDANA1	900	1000	700

## EIKFEPEDANA2



Pedana 800 / 600 mm arrotondata.

*Round 800 / 600 mm protection floor.*



COD.	A	H1	H2
EIKFEPEDANA2	600	800	700

## EIKKITMAGNETI



Kit di montaggio magnetico per rosone.

*Magnetic assembling kit for ceiling hole cover.*

COD.
EIKKITMAGNETI

## EIKFELSPRAY



Bomboletta spray per sistema EdiLEGNA 2.0.

*Spray paint for EdiiWOOD 2.0 system.*

COD.
EIKFELSPRAY

Finitura grigia a richiesta  
*Gray finish on request*

